

# INDEX MAPS.

## T. 17 N, R. 1 E. 2<sup>nd</sup> Mer.

	5	5	5	5	5	5	4					
7	6	28	5	23	4	19	3	15	2	11	1	4
	28		28		22		18		15		10	
7	7	27	8	22	9	18	10	14	11	10	12	4
	27		27		22		18		14		10	
7	18	26	17	21	16	17	15	13	14	9	13	4
	26		26		21		17		13		9	
6	19	25	20	21	21	17	22	13	23	9	24	3
	25		25		20		16		12		8	
6	30	24	29	20	28	16	27	12	26	8	25	3
	24		23		19		16		12		8	
6	31	23	32	19	33	15	34	11	35	7	36	3
	1		1		1		2		2		2	

## T. 18 N, R. 1 E. 2<sup>nd</sup> Mer.

	35		35		35		34		34		34	
37	6	58	5	52	4	48	3	44	2	41	1	34
	<del>57</del>		<del>57</del>		<del>52</del>		<del>48</del>		<del>44</del>		<del>40</del>	
37	7	57	8	52	9	48	10	44	11	40	12	33
	<del>56</del>		<del>56</del>		<del>51</del>		<del>47</del>		<del>43</del>		<del>40</del>	
36	18	56	17	51	16	47	15	43	14	39	13	33
	<del>55</del>		<del>55</del>		<del>50</del>		<del>47</del>		<del>43</del>		<del>39</del>	
36	19	55	20	50	21	46	22	42	23	39	24	33
	<del>54</del>		<del>54</del>		<del>50</del>		<del>46</del>		<del>42</del>		<del>38</del>	
36	30	54	29	49	28	46	27	42	26	38	25	32
	<del>53</del>		<del>53</del>		<del>49</del>		<del>45</del>		<del>41</del>		<del>38</del>	
35	31	53	32	49	33	45	34	41	35	37	36	32
	32		31		31		31		31		31	

[P] The figures on the lines refer to the page.

1

Township N. 17 North, Range N. 1 East 2. Mer. Ind. a

Township Lines.

Chs. 3<sup>rd</sup> South Boundary or Correction line.  
East on the S. Boundary of Sec. 31

- 6.60 an Oak 30 in. dia.,  
40.00 set of sec. post from which  
an Elm 30 in. dia. bears North 18 W. dist. 8  
an Oak 14 " " " S 34 E 31 " "  
51.50 a Sugar 10 " "  
80.00 set post cor. of sec. 31 & 32 from which  
a Sugar 8 in. dia. bears S 43 W 6 W. dist. 8  
a Beech 10 " " " N 51 E 18 " "  
Level land, timber Oak, Beech, Ash &  
good soil
- 

East on the S. Boundary of Sec. 32

- 4.80 an Oak 20 in. dia.  
40.00 set of sec. post from which  
a Hickory 20 in. dia. bears N 1 E 13 W. dist. 8  
a Do 13 " " " S 16 W 18 " "  
56.00 a Do 12 " "  
2.44 a Creek 50 W. wide course S.  
80.00 set post cor. of sec. 32 & 33 from which  
a Beech 3 in. dia. bears S 36 W 3 W. dist. 8  
a Sugar 12 " " " N 67 E 53 " "  
Land as before, Upr. Spruce
- 

East on the S. Boundary of Sec. 33

- 16.60 an Elm 20 in. dia.  
40.00 set of sec. post from which  
a Beech 14 in. dia. bears S 80 W 26 W. dist. 8  
a Do 10 " " " S 61 E 5 " "  
46.75 an Oak 24 " "  
80.00 set post cor. of sec. 33 & 34 from which  
a Beech 20 in. dia. bears N 49 W 7 W. dist. 8  
a Do 10 " " " S 8 E 17 " "  
Land as above described.
-

T. 17 N., R. 1 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

Chr. Chr?

Cart on S. Boundary of Sec. 34

3.84 an Oak 3 in. dia.

40.00 set gr. sec. post from which

a Beech 12 in. dia. bears S 62° W 34 lbs. dist. 8

a Do 14 " " " N 80° E 51 " "

46.00 a Beech 12 " "

68.50 a creek 50 lbs. wide course S.

80.00 set post cor. of sec. 34 &amp; 35 from which

a Buckeye 10 in. dia. bears N 19° E 8 lbs. dist. 8

an Ironwood 6 " " " S 8° E 14 " "

Level land, timbered Beech, Oak. Upr. Spice  
Soil good.

Cart on the S. Boundary of Sec. 35

10.40 an W. Oak 24 in. dia.

40.00 set gr. sec. post from which

a W. Oak 24 in. dia. bears S 75° W 14 lbs. dist. 8

a Walnut 20 " " " N 73° E 7 " "

42.50 a Beech 12 " "

80.00 set post cor. of sec. 35 &amp; 36 from which

an Ash 6 in. dia. bears S 82° W 8 lbs. dist. 8

a Do 8 " " " S 21° E 4 " "

Land as before described

Cart on the S. Boundary of Sec. 36

13.20 an Elm 18 in. dia.

40.00 set gr. sec. post from which

a Sugar 12 in. dia. bears S 55° W 10 lbs. dist. 8

a Beech 10 " " " N 55° E 14 " "

18 lbs. West of the Range line South

55.00 an Oak 36 in. dia.

80.00 set post cor. of T. 17 N., R. 1 &amp; 2 E. from which

an Elm 10 in. dia. bears N 77° W 11 lbs. dist. 8

a Do 16 " " " S 84° E 17 " "

Land as before described.

T 17 N., R. 1 E. 2<sup>d</sup>. Mer. Ind.

Chas. L. P.

East Boundary. Var. 6<sup>th</sup> 10' E.

North on the E. Boundary of Sec. 36

0.20 a Brook 15 Ws. wide course E.

20.88 a Hickory 14 in. dia.

40.00 set of sec. post from which

a Hornbeam 8 in. dia. bears S 28 W 9 Ws. dist. 8

an Ash 4 " " " N 47 E 9 " "

66.19 a Hickory 12 " "

80.00 set post cor. of sec. 25 &amp; 36 from which

a Beech 12 in. dia. bears S 75 E 22 Ws. dist. 8

an Oak 22 " " " N 52 W 18 " "

Level land, timber Beech, Oak, Hickory,  
W. Spice

North on the E. Boundary of Sec. 25

23.30 an W. Oak 22 in. dia.

40.00 set of sec. post from which

an Oak 15 in. dia. bears S 4 W 17 Ws. dist. 8

an Ash 7 " " " N 36 E 16 " "

55.77 an W. Oak 24 " "

80.00 set post cor. of sec. 24 &amp; 25 from which

an Elm 10 in. dia. bears N 74 E 17 Ws. dist. 8

a Do 8 " " " S 67 W 16 " "

Land &amp; timber as before described.

North on the E. Boundary of Sec. 24

20.41 an W. Oak 30 in. dia.

40.00 set of sec. post from which

a Beech 8 in. dia. bears S 25 W 21 Ws. dist. 8

a Do 15 " " " N 47 E 11 " "

66.55 a Sycamore 30 in. dia.

80.00 set post cor. of sec. 13 &amp; 24 from which

an Elm 20 in. dia. bears S 10 E 32 Ws. dist. 8

an Ash 8 " " " N 10 E 21 " "

Wet land, timber as before



T. 17 N., R. 1 E., 2.<sup>d</sup> Mer. Ind.<sup>o</sup>

Chr. Chr.

North on the E. Boundary of Sec. 13

25.28 a Poplar 20 in. dia.

40.00 set g. sec. post from which

a Hornbeam 8 in. dia. bears S 46° W 14 lbs. dist. 8

an Oak 30 " " " N 49° W 12 " "

80.00 set post cor. of sec. 12 &amp; 13 from which

a Sugar 12 in. dia. bears N 83° E 16 lbs. dist. 8

an Ash 13 " " " N 71° E 20 " "

Land &amp;c. as before

North on the E. Boundary of Sec. 12

18.26 a W. Oak 40 in. dia.

40.00 set g. sec. post from which

an Ash 14 in. dia. bears S 78° W 19 lbs. dist.

(No other Bearing tree)

55.70 a Walnut 30 in. dia.

80.00 set post cor. of sec. 11 &amp; 12 from which

a Sycamore 30 in. dia. bears S 20° E 18 lbs. dist.

a Beech 14 " " " N 25° E 39 " "

Land &amp;c. as before described

North on the E. Boundary of Sec. 1

40.00 set g. sec. post from which

a Hickory 14 in. dia. bears S 30° W 20 lbs. dist. 8

an Oak 24 " " " N 30° E 23 " "

80.47 set post cor. of T. 17 &amp; 18 N., R. 1 E. from

which a Sugar 12 in. dia. bears S 32° E 4 lbs. dist.

&amp; a Beech 10 " " " N 18° W 29 " "

Land as before described. Oct. 29. 1819

## North Boundary.

West on the S. Boundary of Sec. 36, T. 18 N., R. 1 E

40.00 set g. sec. post from which

a Hickory 10 in. dia. bears N 19° E 10 lbs. dist. 8

an Elm 18 " " " S 37° W 25 " "

80.00 set post cor. of sec. 35 &amp; 36 from which

T. 17 N., R. 1 E. 2<sup>d</sup> Mer. Indk.  
Ch. 10?

a W. Oak 40 in. dia. bears N 71 E 20 W. dist. 8  
a Beech 12 " " " N 30 W 18 " "

West on the S. Boundary of Sec. 35, T 18 N, R 1 E  
40.00 set of sec. post from which

a Beech 14 in. dia. bears N 81 E 21 W. dist. 8  
a B. Walnut 18 " " " N 59 W 25 " "

80.00 set post cor. of sec. 34 & 35 from which

a Honey Locust 24 in. dia. bears N 84 W 25 W. dist. 8  
an Elm 10 " " " S 52 E 21 " "

West on the S. Boundary of Sec. 34, T 18 N, R 1 E  
40.00 set of sec. post from which

a Sugar 30 in. dia. bears S 44 W 17 W. dist. 8  
a Beech 10 " " " N 81 E 16 " "

80.00 set post cor. of sec. 33 & 34 from which

an Ash 12 in. dia. bears N 32 W 25 W. dist. 8  
a Sugar 10 " " " S 65 E 21 1/2 " "

West on the S. Boundary of Sec. 33, T 18 N, R 1 E  
40.00 set of sec. post from which

an Ash 10 in. dia. bears N 41 W 15 W. dist. 8  
a Do 8 " " " S 67 E 9 " "

80.00 set post cor. of sec. 32 & 33 from which

a Hickory 12 in. dia. bears N 21 E 11 W. dist. 8  
a Do 16 " " " S 74 W 21 " "

West on the S. Boundary of Sec. 32, T 18 N, R 1 E  
40.00 set of sec. post from which

an Ash 9 in. dia. bears S 35 W 16 W. dist. 8  
a Do 8 " " " S 64 E 15 " "

80.00 set post cor. of sec. 31 & 32 from which

a Hickory 12 in. dia. bears N 57 E 20 W. dist. 8  
a B. Oak 30 " " " S 33 E 15 " "

West on the S. Boundary of Sec. 31, T 18 N, R 1 E

T. 17 N., R. 1 E. 2. Mer. Ind.  
Chs. Ind.

40.00 set q. sec. post from which  
a B. Walnut 24 in. dia. bears S 62° 41' 23" W. dist. 8  
an Ash 10 " " " S 83° E 20 " "  
74.92 Intersect the Meridian at the Township cor.  
(Description of land omitted throughout)

West Boundary or  
Second Principal Meridian  
North on the E. Boundary of Sec. 30, T 17 N, R 1 W  
August 31, 1819. Var. 5° 55' E.

40.00 set q. sec. post from which  
a B. Ash 18 in. dia. bears N 41° E 10 W. dist. 8  
an Elm 9 " " " S 42° W 32 " "

40.00 a Brook 12 Ws. wide course E.

80.00 set post cor. of sec. 25 & 30 from which  
a Hickory 30 in. dia. bears S 49° W 6 W. dist. 8  
a Beech 18 " " " S 64° E 18 " "  
Land level 2. rate, timber Beech, Sugar,  
Ash, Oak, Hickory, Gum. Moulding farm-  
ing land, lies rather too flat

North on the E. Boundary of Sec. 25, T 17 N, R 1 W  
20.00 a Brook 12 Ws. wide course E.

40.00 a Sugar 11 in. dia. q. sec. cor.

80.00 set post cor. of sec. 24 & 25 from which  
an Elm 14 in. dia. bears S 84° W 16 W. dist. 8  
an Ash 9 " " " N 53° E 13 " "  
Land same

North on the E. Boundary of Sec. 24, T 17 N, R 1 W.

40.00 set q. sec. post from which  
a Hickory 13 in. dia. bears S 85° E 13 W. dist. 8  
an Ash 8 " " " S 65° W 8 " "

80.00 set post cor. of sec. 13 & 24 from which  
a S. Oak 12 in. dia. bears S 23° E 7 W. dist. 8  
a Beech 10 " " " N 26° W 44 " "

7

T. 17 N., R. 1 E. 2. Mer. Ind.

Chs. Sp.

Land same

---

North on the E. Boundary of Sec. 13, T. 17 N., R. 1 W

40.00 cut of sec. part from which

a W. Oak 14 in. dia. bears S 28 E 6 Ws. dist. 8

unknown. 5 ; ; ; N 32 E — ; ;

80.00 cut part cor. of sec. 12 & 13 from which

an Elm 9 in. dia. bears S 25 W 23 Ws. dist. 8

a Hickory 9 ; ; ; N 25 W 22 ; ;

Land same

---

North on the E. Boundary of Sec. 12, T. 17 N., R. 1 W

40.00 cut of sec. part from which

a Sugar 14 in. dia. bears N 82 W 13 Ws. dist. 8

a Sycamore 48 ; ; ; N 84 E 33 ; ;

65.00 enter wet Prairie

80.00 cut part cor. of sec. 1 & 12 from which

a W. Oak 24 in. dia. bears S 80 E 38 Ws. dist. :

(No other Bearing tree)

Land similar, Prairie wet

---

North on the E. Boundary of Sec. 1, T. 17 N., R. 1 W

40.00 cut of sec. part in Prairie, no Bearing trees.

80.00 cut part in Prairie cor. of T. 17 & 18 N., R. 1 E & 1 W. from which

a B. Oak 30 in. dia. bears N 55 1/2 W 61 1/4 Ws. dist.

(No other Bearing tree)

Wet Prairie. Variation by Observation 5.40. E.

Surveyed South, East and North Boundaries

by John M. Donald, D. S.

Principal Meridian or West Boundary

by William Harris, D. S.

---

Subdivision.

North between Sec. 35 & 36

30.00 a Beech 18 in. dia.



T. 17 N., R. 1 E. 2<sup>d</sup> Mer. Ind<sup>4</sup>Chs. 1<sup>st</sup>

40.00 set gr. sec. post from which  
 a Beech 10 in. dia. bears N 52° W 7 1/2 krs. dist. 8  
 a Poplar 24 " " " S 8° E 14 " "  
 60.00 a Sycamore 24 in. dia.  
 80.00 set post cor. of sec. 25, 26, 35 & 36 from which  
 a Beech 12 in. dia. bears S 46° W 16 krs. dist. 8  
 a Do 10 " " " N 17° E 18 " "  
 Land level 2<sup>d</sup> rate, timber Beech, Hickory, Sugar,  
 Ash & Oak. Uls. Spice & Hazel

East in Random between Sec. 25 &amp; 36

40.00 set temp. gr. sec. post  
 80.00 Intersect Co. Boundary 80 krs. S. of post -  
 Land level 2<sup>d</sup> rate, timber Beech, Sugar, Oak  
 Uls. Spice

West Corrected between Sec. 25 &amp; 36

40.00 set gr. sec. post at aver. dist. from which  
 a Sugar 12 in. dia. bears S 28° E 28 krs. dist. 8  
 a Do 10 " " " N 28° W 19 " "  
 80.00 to sec. cor.

North between Sec. 25 &amp; 26

19.27 a Beech 14 in. dia.  
 40.00 set gr. sec. post from which  
 a Beech 10 in. dia. bears S 48° W 21 krs. dist. 8  
 a Do 8 " " " N 10° E 14 " "  
 64.00 a Sugar 6 " "  
 80.00 set post cor. of sec. 23, 24, 25 & 26 from which  
 a Sugar 18 in. dia. bears S 77° E 20 krs. dist. 8  
 a Do 18 " " " N 86° W 20 " "  
 Land level 2<sup>d</sup> rate, timber Beech, Sugar,  
 Oak, Poplar & Uls. Spice &

East in Random between Sec. 24 &amp; 25

40.00 set temp. gr. sec. post.



## T. 17 N., R. 1 E 2 Mer. Ind.

Ch. 20.

79.94 Intersect E. Boundary 100 Ws. S. of port—  
Land level 2. rate, timber Beech, Sugar, Oak,  
Wgs. Spice & Hazel

West Connected between Sec. 24 &amp; 25

39.97 set gr. sec. port at aver. dirt. from which  
a Swamp Ash 10 in. dia. bears S 41 E 5 Ws. dirt. S  
a Do 8 " " " S 71 W 11 " "

79.94 to sec. cor.

North between Sec. 23 &amp; 24

18.34 a W. Oak 30 in. dia.

40.00 set gr. sec. port from which  
an Elm 14 in. dia. bears S 52 W 17 Ws. dirt. S  
a Lumn 10 " " " N 24 W 10 " "

61.10 a Beech 12 " "

80.00 set port cor. of sec. 13, 14, 23 & 24 from which  
a W. Ash 10 in. dia. bears N 75 W 10 Ws. dirt. S  
a Beech 12 " " " S 73 E 10 " "  
Land level 2. rate, timber Beech, Sugar, Poplar,  
Oak, Wgs. Spice & Hazel. May 30. 1820

East on Raudum between Sec. 13 &amp; 24

40.00 set temp. gr. sec. port

79.70 Intersect E. Boundary 122 Ws. S. of port—  
Land level 2. rate, timber Beech, Oak,  
Wgs. Hazel, Ironwood &

West Connected between Sec. 13 &amp; 24

39.85 set gr. sec. port at aver. dirt. from which  
a W. Oak 24 in. dia. bears S 19 E 6 Ws. dirt. S  
a Beech 14 " " " - 78 W 18 " "

79.70 to sec. cor.

North between Sec. 13 &amp; 14

24.80 a Poplar 24 in. dia.

## T. 17 N., R. 1 E. 2. Mer. Ind.

Chs. Sp.

40.00 set g. sec. post from which  
 a Beech 12 in. diam. bears N 61° W 14 lbs. dist. 8  
 a Do 12 " " " N 84° E 18 " "  
 50.75 a Poplar 30 " "  
 80.00 set post cr. of sec. 11, 12, 13 & 14 from which  
 a Beech 10 in. diam. bears S 26° W 25 lbs. dist. 8  
 a Do 12 " " " N 50° W 16 " "  
 Land level 2<sup>nd</sup> rate, timber Beech, Sugar,  
 Oak, Poplar. Upr. Spice, Hazel, Ironwood

---

East on Random between Sec. 12 &amp; 13

46.00 set temp. g. sec. post  
 79.51 Intersect E. Boundary 100 lbs. S. of post  
 Land level 2<sup>nd</sup> rate, timber Beech, Oak, Sugar  
 Upr. Spice, Hazel &c.

---

West Corrected between Sec. 12 &amp; 13

39.75<sup>1</sup>/<sub>2</sub> set g. sec. post at aver. dist. from which  
 a Beech 10 in. diam. bears S 87° E 28 lbs. dist. 8  
 a Sup. Ash 18 " " " N 86° W 14 " "  
 79.51 to sec. cr.

---

North between Sec. 11 &amp; 12

19.15 a Swamp Ash 18 in. dia.  
 40.00 set g. sec. post from which  
 a Beech 10 in. diam. bears S 64° E 39 lbs. dist. 8  
 a Do 12 " " " N 38° E 39 " "  
 65.00 a W. Oak 24 " "  
 80.00 set post cr. of sec. 1, 2, 11 & 12 from which  
 a W. Oak 24 in. diam. bears S 69° E 33 lbs. dist. 8  
 a Do 36 " " " N 40° E 39 " "  
 Land level 2<sup>nd</sup> rate, timber Beech, Sugar,  
 Oak. Upr. Spice, Hazel &c.

---

East on Random between Sec. 1 &amp; 12

40.00 set temp. g. sec. post

T. 17 N., R. 1 E. 2<sup>d</sup>. Mer. Ind.

Chs. 100

79.41 Intersect E. Boundary 152 Ws. S. of part—  
Land level 2<sup>d</sup> rate, timber Beech, Sugar, Oak  
Uls. Spice, Hazel &c.

---

West Connected between Secs. 1 & 2

39.75 set gr. sec. part at aver. dist. from which  
a Beech 12 in. dia. bears S 66° W 8 Ws. dist. 8  
a Do 18 " " " N 25° W 27 " "

79.41 to sec. cor.

---

North between Secs. 1 & 2

21.00 a Beech 20 in. dia.

40.00 set gr. sec. part from which  
a Swamp Ash 18 in. dia. bears S 80° E 25 Ws. dist. 8  
a Do 15 " " " S 87° W 23 " "

62.00 a Do 18 " "

81.73 Intersect N. Boundary 40 Ws. E. of part—  
set part at intersection cor. of Sec. 1 & 2 from which  
a W. Oak 40 in. dia. bears N 68° E 21 Ws. dist. 8  
a Do 28 " " " S 22° E 17 " "  
Land level 2<sup>d</sup> rate, timber Beech, Oak, Ash &c.  
Uls. Hazel & Spice. May 31<sup>st</sup> 1820

---

North between Secs. 34 & 35

14.10 a W. Oak 24 in. dia.

40.00 set gr. sec. part from which  
a Beech 12 in. dia. bears S 20° W 20 Ws. dist. 8  
a Do 14 " " " N 35° E 23 " "

51.75 a Beech 14 " "

80.00 set part cor. of sec. 26, 27, 34 & 35 from which  
a Beech 8 in. dia. bears S 40° E 20 Ws. dist. 8  
a Do 18 " " " N 36° E 30 " "  
Land part rolling & part level 2<sup>d</sup> rate, timber  
Beech, Sugar, Oak, Ash, Walnut &c.  
Uls. Spice

---

T. 17 N., R. 1 E. 2<sup>d</sup> Mer. Indk.Eh. 2<sup>d</sup>?

East on Random between Sec. 26 &amp; 35

40.00 set temp. gr. sec. post

80.30 Intersect N. G. line 10 M. S. of post—

Land level 2<sup>d</sup> rate, timber Beech, Sugar, Oak,  
Ash, Upr. Spice

West Corrected between Sec. 26 &amp; 35

40.15 set gr. sec. post at aver. dist. from which

a M. Oak 28 in. diam bears N 27° W 16 M. dist. is

a Do 24 " " " S 86° E 32 " "

80.30 to sec. cor.

North between Sec. 26 &amp; 27

14.00 a Stream 30 M. wide course SW

21.00 a Beech 24 in. diam.

30.00 a Stream 25 M. wide course SE

40.00 set gr. sec. post from which

a Sugar 24 in. diam bears N 75° W 12 M. dist. is

a Do 28 " " " S 41° E 9 " "

59.00 a Stream 30 M. wide course SW

61.10 a B. Ash 24 in. diam.

80.00 set post cor. of Sec. 22, 23, 26 &amp; 27 from which

a Beech 10 in. diam bears S 44° E 9 M. dist. is

a Do 10 " " " N 89° W 15 " "

Land level good 2<sup>d</sup> rate, timber Beech, Sugar,  
Walnut, Ash, Oak, Upr. Spice

East on Random between Sec. 23 &amp; 26

32.20 a Stream 30 M. wide course SW

40.00 set temp. gr. sec. post

80.39 Intersect N. G. line 4 M. N. of post—

Land part rolling part level 2<sup>d</sup> rate,  
timber Beech, Sugar, Walnut, Ash,  
Upr. Spice

West Corrected between Sec. 23 &amp; 26

T. 17 N., R. 1 E. 2<sup>d</sup>. Mer. Ind<sup>r</sup>.Ch<sup>r</sup>. Sp<sup>r</sup>.

40.19 set of sec. post at aver. dint. from which  
 a B. Walnut 36 in. dia. bears S 46 E 2 1/2 M<sup>r</sup>s. dint. S  
 a Beech 12 " " " S 82 W 24 " "  
 80.39 to sec. cor.

## North between Sec. 22 &amp; 23

19.00 a Beech 18 in. dia.

40.00 set of sec. post from which  
 a Beech 12 in. dia. bears S 39 W 32 M<sup>r</sup>s. dint. S  
 a Sugar 12 " " " S 45 E 14 " "

50.10 a Beech 20 " "

80.00 set post cor. of Sec. 14, 15, 22 & 23 from which  
 a W. Oak 18 in. dia. bears S 43 E 3 M<sup>r</sup>s. dint. S  
 a Beech 12 " " " N 12 E 46 " "  
 Land level 2<sup>d</sup> rate, timber Beech, Sugar,  
 Oak, Ash, Walnut & Upr. Spice &c.

## East on Random between Sec. 14 &amp; 23

5.80 a Stream 30 M<sup>r</sup>s. wide course S E

40.00 set temp. of sec. post

42.00 enter Swamp

50.00 leave "

80.38 Intersect N & S line 12 M<sup>r</sup>s. N. of post—

Land level 2<sup>d</sup> rate, timber Sugar, Beech,  
 Oak, Ash, Walnut & Upr. Spice &c.

## West Corrected between Sec. 14 &amp; 23

40.19 set of sec. post at aver. dint. from which  
 a Swamp Ash 12 in. dia. bears N 34 W 15 M<sup>r</sup>s. dint.  
 a Beech 10 " " " S 48 E 24 " "

80.38 to sec. cor. June 1, 1820

## North between Sec. 14 &amp; 15

11.00 a Stream 30 M<sup>r</sup>s. wide course S E

14.50 a Beech 20 in. dia.

37.50 a Brook 20 M<sup>r</sup>s. wide course S W



T. 17 N., R. 1 E. 2<sup>d</sup> Mer. Ind.

Chs. Lk.

40.00 set gr. sec. port from which  
 a Blue Beech 10 in. dia. bears S 89 W 15 lbs. dist. 8  
 a Buckeye 10 " " " N 51 E 15 " "  
 58.00 at W. Ash 18 " "  
 68.00 enter Swamp  
 75.00 leave "  
 80.00 set port cen. of sec. 10, 11, 14 & 15 from which  
 at W. Ash 18 in. dia. bears S 50 W 32 lbs. dist. 8  
 a Do 18 " " " N 38 E 43 " "  
 Sand level 2<sup>d</sup> rate, timbered Beech, Ash,  
 Oak, Walnut, Upr. Spice.

East on Random between Sec. 11 &amp; 14

30.00 at Brook course SW  
 40.00 set temp. gr. sec. port  
 80.24 Intersect N & S. line 14 lbs. N. of port—  
 Sand level 2<sup>d</sup> rate, timbered Beech, Ash,  
 Sugar, Walnut, Upr. Spice

West Corrected between Sec. 11 &amp; 14

40.12 set gr. sec. port at aver. dist. from which  
 a Sugar 10 in. dia. bears S 29 W 16 lbs. dist. 8  
 a R. Oak 30 " " " N 5 E 21 " "  
 80.24 to sec. cen.

North between Sec. 10 &amp; 11

10.00 a Sugar 20 in. dia.  
 35.00 at Brook 15 lbs. wide course SE.  
 40.00 set gr. sec. port from which  
 a Beech 10 in. dia. bears N 43 E 13 lbs. dist. 8  
 a Do 10 " " " S 56 W 39 " "  
 47.00 at Brook 10 lbs. wide course SW  
 60.10 a Do 10 " " " SE  
 62.00 a Beech 12 in. dia.  
 80.00 set port cen. of sec. 2, 3, 10 & 11 from which  
 a Beech 12 in. dia. bears S 50 E 7 lbs. dist. 8

T. 17 N., R. 1 E. 2<sup>d</sup> Mer. Ind.

Ch. Lk.

a W. Oak 24 in. dia. bears N 54 W 23 lbs. dist.  
 Land level wet 2<sup>d</sup> rate, timber Beech, Oak,  
 Sugar, Walnut, Maple & Upr. Spice &c

## East on Random between Sec. 2 &amp; 11

40.00 set temp. gr. sec. post

80.28 Intersect N. &amp; S. line 16 lbs. N. of post -

Land level 2<sup>d</sup> rate, timber Beech, Sugar,  
 Oak, Ash. Upr. Spice

## West Connected between Sec. 2 &amp; 11

40.14 set gr. sec. post at aver. dist. from which

a W. Elm 24 in. dia. bears N 69 E 20 lbs. dist. &amp;

a Bur Oak 10 " " " S 68 W 1 " "

80.28 to sec. cor.

## North between Sec. 2 &amp; 3

12.30 a Sugar 14 in. dia.

40.00 set gr. sec. post from which

a Beech 14 in. dia. bears S 50 W 31 lbs. dist. &amp;

a Do 15 " " " N 7 E 9 " "

55.25 a Do 20 " "

80.51 Intersect N. Boundary 99 lbs. E. of post -

set post at intersection cor. of Sec. 2 &amp; 3 from which

a Beech 12 in. dia. bears N 7 W 28 lbs. dist. &amp;

a Do 12 " " " S 31 E 37 " "

Land level 2<sup>d</sup> rate, timber Beech, Sugar,  
 Oak, Ash, Hickory, Walnut. Upr. Spice  
 June 2<sup>d</sup> 1820

## North between Sec. 33 &amp; 34

15.00 a Hickory 24 in. dia.

40.00 set gr. sec. post from which

a Beech 15 in. dia. bears N 32 W 34 lbs. dist. &amp;

a Beech 10 " " " S 10 W 4 " "

57.15 a Buckeye 14 in. dia.

T 17 N., R. 1 E. 2<sup>d</sup> Mer. Ind.

Elev. Elev.

80.00 Set post cor. of Sec. 27, 28, 33 & 34 from which  
 a Beech 12 in. dia. bears S 54° W 19 lbs. dist. 8  
 a W. Oak 15 " " N 48° E 39 " "  
 Land level 2<sup>d</sup> rate, timber Beech, Sugar  
 Oak, Walnut, Upr. Spruce

East on Random between Sec. 27 &amp; 34

40.00 Set temp. gr. sec. post

60.00 a Brook 30 lbs. wide course SW

79.93 Intersect N. Boundary 42 lbs. N. of post—  
 Land level 2<sup>d</sup> rate, timber Beech, Oak,  
 Ash, Upr. Spruce

West Corrected between Sec. 27 &amp; 34

39.96 Set gr. sec. post at aver. dist. from which

a Beech 12 in. dia. bears N 83° W 23 lbs. dist. 8

a Spr 8 " " " S 44° W 12 " "

79.93 to Sec. cor.

North between Sec. 27 &amp; 28

21.10 a Beech 12 in. dia.

40.00 Set gr. sec. post from which

a Sugar 18 in. dia. bears S 29° E 10 lbs. dist. 8

a Beech 8 " " " N 85° W 28 " "

59.00 a Sugar 18 " "

80.00 Set post cor. of Sec. 21, 22, 27 &amp; 28 from which

a Beech 10 in. dia. bears S 21° E 16 lbs. dist. 8

a Sugar 10 " " " N 21° W 31 " "

Land level 2<sup>d</sup> rate, timber Beech, Sugar,  
 Ash, Oak, Upr. Spruce

East on Random between Sec. 22 &amp; 27

40.00 Set temp. gr. sec. post

80.09 Intersect N. S. line 44 lbs. N. of post—

Land level 2<sup>d</sup> rate, timber Beech, Sugar,  
 Ash

## T. 17 N., R. 1 E. 2. Mer. Ind.

Chas. G. H.

West Connected between Sec. 22 &amp; 27

40.04 set of sec. post at aver. dist. from which  
 a Beech 14 in. dia. bears S 39 W 11 lbs. dist. 2  
 a Do 12 " " " N 22 E 21 " "

80.09 to sec. cor.

North between Sec. 21 &amp; 22

18.83 a Poplar 36 in. dia.

40.00 set of sec. post from which  
 a Swamp Ash 12 in. dia. bears S 2 E 19 lbs. dist. 2  
 a Bur Oak 12 " " " N 1 E 31 " "

58.18 a W. Ash 28 " "

80.00 set post cor. of Sec. 15, 16, 21 & 22 from which  
 a Beech 30 in. dia. bears S 78 W 6 lbs. dist. 2  
 a Do 8 " " " S 65 W 17 " "  
 Land level 2 rods, timber Beech, Oak,  
 Sugar, Upr. Spice

East on Random between Sec. 15 &amp; 22

40.00 set temp. of sec. post

80.11 Intersect N. &amp; S. line 36 lbs. N. of post -

Land level 2 rods, timber Beech, Sugar, Oak,  
 Ash, Upr. Spice

West Connected between Sec. 15 &amp; 22

40.05 set of sec. post at aver. dist. from which  
 a W. Ash 6 in. dia. bears S 17 E 9 lbs. dist. 2  
 a Bur Oak 12 " " " N 45 E 17 " "

80.11 to sec. cor. June 3. 1820

North between Sec. 15 &amp; 16

11.50 a Poplar 24 in. dia.

18.77 a Brook 10 lbs. wide corner S E

40.00 set of sec. post from which  
 a W. Oak 14 in. dia. bears S 47 E 31 lbs. dist. 2  
 a Beech 8 " " " S 38 W 7 " "



## T. 17 N., R. 1 E. 2. Mer. Ind.

Elev. Sta.

62.10 a Beech 12 in. dia.

80.00 Set post cor. of sec. 9, 10, 15 & 16 from which  
 a Beech 12 in. dia. bears S 69 E 31 W. dist. 8  
 a Do 6 " " " N 30 W 11 " "  
 Land level 2. rate, timber Beech, Sugar  
 Oak, Ash, Wgn. Spice

East on Random between Sec. 10 &amp; 15

40.00 Set temp. g. sec. post

80.16 Intersect N. & S. line 25 W. N. of post -  
 Land post level, post rolling 2. rate, timber  
 Beech, Sugar, Oak, Ash. Wgn. Spice

West Corrected between Sec. 10 &amp; 15

40.08 Set g. sec. post at aver. dist. from which  
 a Beech 18 in. dia. bears S 72 W 31 W. dist. 8  
 a Hickory 24 " " " S 78 E 20 " "  
 80.16 to sec. cor.

North between Sec. 9 &amp; 10

18.00 a Swamp Ash 12 in. dia.

40.00 Set g. sec. post from which  
 a Beech 10 in. dia. bears S 71 W 11 W. dist. 8  
 a Do 9 " " " N 57 E 7 " "

68.50 a Do 14 " "

80.00 Set post cor. of sec. 3, 4, 9 & 10 from which  
 a W. Elm 12 in. dia. bears S 80 W 11 W. dist. 8  
 a Beech 18 " " " N 71 E 41 " "  
 Land level 2. rate, timber Beech, Sugar  
 Oak, Poplar. Wgn. Spice

East on Random between Sec. 3 &amp; 10

22.00 a Beech 22 in. dia.

40.00 Set temp. g. sec. post

80.18 Intersect N. & S. line 31 W. N. of post -  
 Land level 2. rate, timber Beech, Sugar, Oak,



## T. 17 N., R. 1 E. 2. Mer. Ind.

Chr. Spr?

Ash, Ulp, Spice

West Connected between Secs. 3 &amp; 10

40.09 set of sec. post at aver. dint. from which  
 a Sugar 15 in. dia bears N 61° W 14 lbs. dint. 8  
 a Beech 12 " " " S 12° E 4 " "

80.18 to Sec. cor.

North between Secs. 3 &amp; 4

22.00 a Beech 14 in. dia.

40.00 set of sec. post from which  
 a W. Ash 20 in. dia bears N 47° W 23 lbs. dint. 8  
 a Beech 14 " " " N 34° E 44 " "

79.18 Intersect the N. Boundary 91 lbs. E. of post—  
 set post at intersection cor. of Secs. 3 & 4, from which

a Beech 14 in. dia bears N 38° W 4 lbs. dint. 8

a Do 12 " " " S 73° E 22 " "

Land level 2<sup>d</sup> rate, timber Beech, Sugar, Oak,  
 Ash, Ulp, Spice June 4, 1820

North between Secs. 32 &amp; 33

4.00 a Brook 20 lbs. wide course SW

18.46 a Do 10 " " " SE

20.50 a Slippery Elm 14 in. dia.

40.00 set of sec. post from which  
 a Beech 12 in. dia bears S 20° E 16 lbs. dint. 8  
 a Hackberry 10 " " " N 46° W 9 " "

46.61 a Brook course ESE

59.00 a W. Oak 24 in. dia.

80.00 set post cor. of Secs. 28, 29, 32 &amp; 33 from which

a W. Ash 16 in. dia bears N 27° W 12 lbs. dint. 8

a R. Oak 30 " " " N 55° E 9 " "

Land flat rolling, part level 2<sup>d</sup> rate,  
 timber Beech, Sugar, Ash, Oak, Ulp, Spice

East on Random between Secs. 28 &amp; 33

## T. 17 N., R. 1 E. 2, Mer. Ind.

Chs. Lk.

40.00 set temp. gr. sec. post

80.00 ~~Intersect~~ N & S. line 40 Ws. S. of post -Sand level 2. rate, timber Beech, Sugar  
Ash, Oak.

Repetition

~~West Corrected between Sec. 28 & 32~~~~40.00 set temp. gr. sec. post~~~~80.00 Intersect N & S. line 40 Ws. N. of post~~~~Sand level 2. rate, timber Beech, Sugar, Ash, Oak~~

West Corrected between Sec. 28 &amp; 33

40.00 set gr. sec. post at aver. dist. from which

a Beech 6 in. dia bears S 24 W 8 Ws. dist. 8

a Do 12 " " " N 51 E 4 " "

80.00 to sec. cor.

North between Sec. 28 &amp; 29

15.00 a W. Oak 40 in. dia.

40.00 set gr. sec. post from which

a Beech 10 in. dia bears S 43 W 15 Ws. dist. 8

a Do 10 " " " S 67 E 22 " "

60.50 a Do 10 " "

80.00 set post cor. of Sec. 20, 21, 28 &amp; 29 from which

a Beech 16 in. dia bears N 87 W 42 Ws. dist. 8

a Do 12 " " " N 10 E 35 " "

Sand level 2. rate, timber Beech, Sugar, Ash,  
Oak. Upr. Spice

East on Random between Sec. 21 &amp; 28

40.00 set temp. gr. sec. post

79.94 Intersect N &amp; S. line 44 Ws. S. of post -

Sand level 2. rate, timber Beech, Sugar, Ash,  
Oak. Upr. Spice

West Corrected between Sec. 21 &amp; 28

39.97 set gr. sec. post at aver. dist. from which

## T. 17 N., R. 1 E. 2. Mer. Ind.

Ch. 20.

a W. Oak 24 in. dia. bears N 43° W 13 lbs. dist. 8

a Beech 10 " " " S 54° E 140 " "

79.94 to sec. cor.

North between Secs. 20 &amp; 21

21.62 a W. Ash 12 in. dia.

40.00 set of sec. post from which

a W. Elm 16 in. dia. bears N 25° E 21 lbs. dist. 8

a Beech 12 " " " S 86° W 24 " "

61.08 a Poplar 20 " "

80.00 set post cor. of sec. 16, 17, 20 &amp; 21 from which

a Hickory 12 in. dia. bears N 17° W 5 lbs. dist. 8

a Beech 10 " " " N 50° E 38 " "

Land level 2. rate, timber Beech, Sugar, Oak,  
Ash. Wgs. Spice & Hazel

East on Prudence between Secs. 16 &amp; 21

40.00 set temp. of sec. post

79.90 Intersect N &amp; S. line 37 lbs. S. of post -

Land level 2. rate, timber Beech, Sugar, Oak,  
Ash. Wgs. Spice

West Corrected between Secs. 16 &amp; 21

39.95 set of sec. post at aver. dist. from which

a W. Oak 40 in. dia. bears S 17° W 17 lbs. dist. 8

a Do 36 " " " N 64° W 20 " "

79.90 to sec. cor. June 5. 1820

North between Secs. 16 &amp; 17

22.65 a W. Ash 14 in. dia.

40.00 set of sec. post from which

a Beech 10 in. dia. bears S 30° W 25 lbs. dist. 8

a Do 6 " " " S 70° E 18 " "

59.76 a Do 16 " "

80.00 set post cor. of sec. 8, 9, 16 &amp; 17 from which

a W. Walnut 14 in. dia. bears N 32° W 30 lbs. dist. 8

T. 17 N., R. 1 E. 2<sup>d</sup> Mer. Ind.Ch. 10<sup>th</sup>

a W. Walnut 10 in. diam bears S 59 E 35 W. dist. =  
 Sand first half mile level 2<sup>d</sup> rate, last half mile  
 level & rich. Timber on 1<sup>st</sup> half Beech, Sugar,  
 Oak, Ash - on last half Beech, W. B. Walnut,  
 Lym, Sugar. Upr. Spruce.

East in Pradum between Sec. 9 &amp; 10

79.94 Intersect N. &amp; S. line 40 W. S. of port -

Sand level & good 2<sup>d</sup> rate, timber Beech, Sugar,  
 Ash, Oak, W. B. Walnut

West Corrected between Sec. 9 &amp; 10

39.97 set gr. sec. port at aver. dist. from which

a W. Ash 10 in. diam bears N 46 E 33 W. dist. =

a S. 18 " " " S 60 W 16 " "

79.94 to sec. cor.

North between Sec. 8 &amp; 9

13.00 a Lym 12 in. dia.

40.00 set gr. sec. port from which

a Beech 6 in. diam bears S 79 W 21 W. dist. =

a B. Ash 12 " " " S 76 W 26 " "

55.28 a Beech 16 " "

80.00 set port cor. of sec. 4, 5, 8 &amp; 9 from which

a W. Oak 24 in. diam bears S 59 E 22 W. dist. =

a Beech 12 " " " N 25 E 22 " "

Sand level & rich, timber Beech, Ash, Sugar,  
 Oak, Lym, W. B. Walnut

East in Pradum between Sec. 4 &amp; 9

79.96 Intersect N. &amp; S. line 40 W. S. of port -

Sand level & wet 2<sup>d</sup> rate, timber Beech, Oak,  
 Hickory, Maple. Upr. Spruce & Hazel

West Corrected between Sec. 4 &amp; 9

39.98 set gr. sec. port at aver. dist. from which



T. 17 N., R. 1 E. 2<sup>d</sup>. Mer. Ind.

Ch. 1. 1820

a Bur Oak 36 in. dia. bears S 25 E 11 W. dist. 8

an Elm 14 " " " S 80 W 19 " "

79.96 to sec. cor.

North between Secs. 4 &amp; 5

18.00 a Lym 18 in. dia.

40.00 set of sec. post from which

a Blue Ash 12 in. dia. bears N 55 E 32 W. dist. 8

a Bur Oak 24 " " " N 30 W 49 " "

61.00 a Hickory 12 " "

79.08 Intersect N. Boundary 195 W. E. of post -

set post at intersection cor. of Sec. 4 &amp; 5 from which

a B. Ash 12 in. dia. bears S 82 E 13 W. dist. 8

a Hickory 14 " " " S 26 W 15 " "

Land level 2<sup>d</sup> rate, but wet & very brushy, part  
thicket of Upr. of all descriptions. Part timber  
as before. June 6. 1820

North between Secs. 31 &amp; 32

19.64 a Hickory 36 in. dia.

40.00 set of sec. post from which

a Beech 16 in. dia. bears S 24 E 8 W. dist. 8

a Do 15 " " " N 86 W 20 " "

51.00 a Brook 10 W. wide corner S E

60.10 a Beech 18 in. dia.

80.00 set post cor. of Secs. 29, 30, 31 &amp; 32 from which

a Beech 16 in. dia. bears N 31 W 45 W. dist. 8

a Do 12 " " " N 61 E 26 " "

Land part level & part rolling 2<sup>d</sup> rate, timber  
Beech, Sugar, Ash, Oak, Walnut. Upr. of all  
descriptions.

East on Random between Secs. 29 &amp; 32

40.00 set temp. g. sec. post

51.00 a Brook 10 W. wide corner N E

60.00 a Do 10 " " " S E



## T. 17 N., R. 1 E. 2. Mer. Ind.

Elev. Sp.

80.10 Intersect N & S. line 13 W. S. of port—  
Land part rolling & part level 2. rate, timber  
Beech, Sugar, Ash. Upr. Spice

West Connected between Sec. 29 &amp; 32

40.08 Set of sec. part at area. dist. from which  
a Beech 12 in. dia. bears S 70° E 14 W. dist. is  
a Do 10 " " " N 35° W 10 " "

80.10 to sec. cor.

West between Sec. 30 &amp; 31

19.20 a Beech 12 in. dia.

20.10 a Brook 10 Ws. wide course SE

40.00 Set of sec. part from which  
a Sugar 18 in. dia. bears N 01° E 34 W. dist. is  
a Do 10 " " " S 29° W 24 " "

58.00 a Gum 18 " "

79.50 Intersect W. Boundary 65 Ws. N. of port—  
Set part at intersection cor. of Sec. 30 & 31 from which  
a Sugar 18 in. dia. bears N 60° W 9 W. dist. is  
a R. Oak 50 " " " N 46° E 14 " "  
Land level 2. rate, timber Beech, Sugar, Ash,  
Oak. Upr. Spice

North between Sec. 29 &amp; 30

20.74 a Beech 18 in. dia.

40.00 Set of sec. part from which  
an Elm 12 in. dia. bears N 38° W 27 W. dist. is  
a Buckeye 10 " " " N 86° E 14 " "

55.17 a Sugar 12 " "

80.00 Set part cor. of Sec. 19, 20, 29 & 30 from which  
a W. Ash 18 in. dia. bears S 12° W 17 W. dist. is  
a Hickory 14 " " " S 64° E 30 " "  
Land level Sweet 2. rate, timber Beech, Sugar,  
Ash, Oak. Upr. Spice & Hazel

Complete.

## T. 17 N., R. 1 E. 2. Mer. Ind.

Ch. Sp?

East in Random between Sec. 20 &amp; 29

40.00 set temp. of sec. point

80.16 Intersect N &amp; S. line 144 hrs. S. of point -

Land level & wet 2<sup>d</sup> rate, timber Beech, Sugar,  
Oak & Maple

West Corrected between Sec. 20 &amp; 29

40.08 set of sec. point at aver. dist. from which

a W. Oak 24 in. dia. bears N 70 E 144 hrs. dist. &amp;

a Beech 6 " " " S 8 E 35 " "

80.16 to sec. cor.

West between Sec. 19 &amp; 30

19.10 a Beech 18 in. dia.

40.00 set of sec. point from which

a Beech 6 in. dia. bears S 60 E 22 hrs. dist. &amp;

an Elm 16 " " " N 9 E 20 " "

58.16 a Beech 16 " "

79.17 Intersect N. Boundary 64 hrs. N. of point -

set point cor. of sec. 19 &amp; 30 at intersection from wh.

a W. Ash 18 in. dia. bears N 61 W 21 hrs. dist. &amp;

a W. Oak 24 " " " N 78 E 22 " "

Land level 2<sup>d</sup> rate, timber Beech, Sugar, Oak,  
Ash. Upr. Spice & Hazel

North between Sec. 19 &amp; 20

28.76 a Sugar 18 in. dia.

40.00 set of sec. point from which

a Sugar 12 in. dia. bears S 18 W 23 hrs. dist. &amp;

a Beech 10 " " " N 37 W 13 " "

55.00 a W. Oak 24 " "

80.00 set point cor. of sec. 17, 18, 19 &amp; 20 from which

a Swamp Ash 10 in. dia. bears S 55 E 6 hrs. dist. &amp;

a Do 10 " " " S 72 W 23 " "

Land level & wet 2<sup>d</sup> rate, timber Beech, Hickory,  
Sugar, Maple. Upr. Spice & Hazel

## T. 17 N., R. 1 E. 2. Mer. Ind. a

Wm. Ek.

West between Sec. 18 &amp; 19

19.00 a Beech 10 in. dia.

40.00 set of sec. post from which

a Beech 10 in. dia. bears N 73 E 13 W. dist. 8

a W. Oak 40 " " " N 34 W 10 " "

02.10 a Beech 18 " "

79.00 Intersect W. Boundary 125 W. N. of post -

set post at intersection cor. of sec. 18 &amp; 19 from wh.

a Beech 12 in. dia. bears N 45 W 25 W. dist. 8

a W. Oak 24 " " " S 60 E 20 " "

Land wet level 2<sup>d</sup> rate, timber as before.

East on Random between Sec. 17 &amp; 20

40.00 set temp. of sec. post

80.08 Intersect N. S. line 12 W. S. of post -

Land level wet 2<sup>d</sup> rate, timber Beech, Sugar,  
Oak, Maple, Wyr. Spice & Prickly Ash

West Connected between Sec. 17 &amp; 20

40.04 set of sec. post at aver. dist. from which

a Sugar 18 in. dia. bears S 44 E 8 W. dist. 8

a Wyr. Ash 12 " " " N 7 E 30 " "

80.08 to sec. cor. June 7. 1820

North between Sec. 17 &amp; 18

15.50 a W. Oak 40 in. dia.

20.50 enter wet brushy Prairie

38.00 leave same

40.00 set of sec. post from which

a Beech 20 in. dia. bears N 37 W 4 W. dist. 8

a Do 12 " " " S 4 E 33 " "

57.50 a Do 24 " "

80.00 set post cor. of sec. 7, 8, 17 &amp; 18 from which

an Elm 30 in. dia. bears S 37 W 10 W. dist. 8

a Beech 12 " " " S 89 E 23 " "

Land level 2<sup>d</sup> rate, timber Beech, Sugar, Oak,

T. 17 N., R. 1 E. 2<sup>d</sup> Mer. Ind.Ch. 1<sup>st</sup>

Elm, Maple. Upr. of all descriptions.

East on Random between Sec. 8 &amp; 17

40.00 set temp. gr. sec. post

80.04 Intersect N &amp; S. line 11 Mos. S. of post -

Land level 2<sup>d</sup> rate, timber Beech, Sugar, Ash,  
Oak & Upr. Spruce & Hazel

West Corrected between Sec. 8 &amp; 17

40.02 set gr. sec. post at aver. dist. from which

a Beech 24 in. dia. bears N 28° W 25 Mos. dist. 2

S 55° E 34 " "

80.04 to sec. cor.

West between Sec. 7 &amp; 18

17.15 a Beech 15 in. dia.

40.00 set gr. sec. post from which

a Lym 30 in. dia. bears S 29° E 17 Mos. dist. 2

a Do 30 " " " N 49° E 43 " "

55.58 a W. Elm 24 " "

78.52 Intersect W. Boundary 18 Mos. N. of post -

Set post at intersection cor. of Sec. 7 &amp; 18 from which

a Swamp Ash 12 in. dia. bears N 20° W 18 Mos. dist. 2

a Do 10 " " " S 42° E 33 " "

Land level 2<sup>d</sup> rate, timber Ash, Hickory,  
Oak, Beech, Maple, Elm

North between Sec. 7 &amp; 8

22.41 a Beech 16 in. dia.

40.00 set gr. sec. post from which

a Swamp Ash 20 in. dia. bears N 73° E 12 Mos. dist.

a Do 12 " " " S 26° W 20 " "

54.30 a W. Oak 26 in. dia.

80.00 a Swamp Ash 20 in. dia. made cor. for Sec.

5, 6, 7 &amp; 8 from which

a Swamp Ash 12 in. dia. bears N 44° E 38 Mos. dist.



## T. 37 N., R. 1 E. 2. Mer. Ind.

Chr. Chr.

Land level wet & very brushy 2.° rats, timber  
Beech, Oak, Ash, Maple. Upr. of all descrip-  
-ions, a good part Prickly Ash

West between Sec. 6 &amp; 7

21.20 a W. Elm 20 in. dia.

40.00 Made gr. sec. cor. on a W. Oak 4 in. dia. from which  
a W. Elm 18 in. dia. bears S 49 W 11 W. dist. 4  
a W. Oak 24 " " " N 40 E 24 " "

68.00 entered a Prairie

77.95 Intersect N. Boundary 244 W. N. of post -  
set post at intersection cor. of Sec. 6 & 7 in Prairie,  
no bearing trees as there were no trees within  
1/4 mile.

Timber Beech, Sugar, Ash, Oak, Upr. Spice &  
every other sort

East on Random between Sec. 5 &amp; 8

40.00 set temp. gr. sec. post

80.00 Intersect N &amp; E. line at post -

Land level & wet 2.° rats, timber Beech, Sugar,  
Ash, Oak, Maple &c

West Connected between Sec. 5 &amp; 8

40.00 Set gr. sec. post at aver. dist. from which  
a Beech 12 in. dia. bears N 75 E 14 W. dist. 8  
a W. Ash 14 " " " S 47 W 10 " "

80.00 to sec. cor.

North between Sec. 5 &amp; 6

15.62 a W. Oak 28 in. dia.

40.00 Set gr. sec. post from which  
a Hop. Ash 18 in. dia. bears N 22 W 21 W. dist. 8  
a Do 8 " " " S 56 E 9 " "

78.19 Intersect N. Boundary 259 W. E. of post -  
set post at intersection cor. of sec. 5 & 6 from which



T. 14 N., R. 1 E. 2. Mer. Ind.

a Beech 15 in. diam. 937 E 20 W. dist. 8  
 a Do 20 " " " N 57 E 13 " "  
 First half mile level wet & brushy 2. rate,  
 last half mile level & part wet brushy Prairie.  
 Timber Beech, Sugar, Ash, Oak, Maple &  
 Upr. Hazel & Prickly Ash. Jan. 8. 1820  
 Stephen S. Collett  
 Dep. Surveyor.

---

I certify that the foregoing transcript of  
 Field Notes of the survey of Township N. 17  
 North, in Range N. 1 East of the 2. Principal  
 Meridian, in the State of Indiana, has been  
 compared with the original on file in this  
 office, and found to be correct.

Surveyor General's Office,  
 Cincinnati, Oct. 3. 1844

William Johnston  
 Sur. Genl.